


TEZAG TOUCHSIDE TIF55-100

"THE PRODUCT OF THE FUTURE"







Plug & Play **Multi - Touch**







Ultra Resolution

Smart**Player**

Plug-and-Play Multi-Touch

Multi-Touch displays are equipped with automatic touch recognition, upto 10 points. The USB connector is HID- compliant, providing true plug-and-play operation.

Wireless Screen Share Wireless data sharing feature is fast and easy to use. Display 2 data sources shared simultaneously from 2 different devices. **Multi Opera System** Parallel support 2 operating systems working together. switch back and forth quickly and easily **4K Ultra-HD Resolution** 4K UHD See your TouchSide like never before thanks to four times the resolution of a conventional Full HD display. 3840 x 2160 pixels provide and image so refined, so lifelike, it's a window to a new world.

OPS Insert

Open Pluggable Specification (OPS) is an industry- standard slot into which you can add an OPS- standardised media player. This cable-free solution gives you the ability to install, use or maintain your hardware whenever you need to.



05

 $\mathbf{0}$

SmartPower

The backlight intensity can be controlled and pre-set by the system to reduce the power consumption by up to 50%, which saves substantially on energy cost.

Free Apps For Education

Provide free software for education, making learning and teaching more enjoyable than ever.











TECHNICAL SPECIFICATION

External size	Core	Operating System
55": 1265×105×764	- i3 + i5 + i7 Windows + Android	
65" : 1496×105×893		
75" : 1728×108×1030		Windows / Android
85" : 1973×108×1168		windows + Android
98" : 2210×111×1270		
100" : 2270×111×1306		

LED	Size	55"/65/75"/85"/98"/100"
	Brand	Tezag
	Touch Size	1431.9*808.3mm
Power	Power consumption	< 250W
	Standby Power	≤1W
Display	Display Dimension	1428.48 (H) x 803.52 (V)mm
	Pixel	0.744 (H) x 0.744 (V) mm
	Display colors	16.7M colors
	Contrast	5000:01:00
	Resolution	3840*2160pixel
	Brightness	350cd/m2
	View Angle	178 Degree
	HDMI Version	HDMI 2.0 HDCP 1.4
	Scan Method	Support 1080i 1080P interlace progressive scan
	Speaker	2X10W
I/O	Touch Portss	2 X USB2.0
	TF Card Reader	1
	USB IN	2 X USB2.0
	HDMI IN	3 (Front X 1 , Rear X 1 , Built-in OPS X 1)
	VGA IN	1
	PC Audio IN	1
	YPBPR IN	1
	AV IN	2
	AV IN	1
	RJ45 OUT	1
	VGA OUT	1
	Earphone OUT	1
	Coaxial OUT	1
	RS232 IN	1
	MIC IN	1
	RF IN	1 (optional)
Touch	Touch objects	Touch objects
	Touch size	Touch size> 5mm, recommend>= 7mm